Phosphorus binding forms in fens influenced by degree of peat decomposition

Sabine Jordan¹, Jutta Zeitz¹ and Jan Fiedler²

¹ Humboldt Universität zu Berlin, Faculty of Agriculture and Horticulture, Institute of Crop Science, Division of Soil Science and Site Science, Invalidenstrasse 42, D-10115 Berlin, Germany Phone: +49 30 2093 8622 and 9030, Fax: +49 30 2093 8369, e-mail: sabine.jordan@agrar.hu-berlin.de, jutta.zeitz@agrar.hu-berlin.de

² Humboldt Universität zu Berlin, Institute of Geography, Division of Climatology, Laboratory of Air Pollution Analysis, Rudower Chaussee 16, D-12489 Berlin, Germany Phone: +49 30 2093 6820, Fax: +49 30 2093 6844, e-mail: jan.fiedler@geo.hu-berlin.de

Summary

Due to a possible increasing release of phosphorus (P) in fens after re-wetting it is important to characterize different inorganic and organic P binding forms in peat substrates.

Labile P, redox-sensitive P and P adsorbed to metal oxides are the inorganic P forms that could be released from the fen peat substrate by re-wetting.

In peat soil samples with different degrees of peat decomposition (DPD) a sequential extraction method was carried out for the detection of P binding forms in fens. The samples have been taken from fens in northeastern Germany represented by different environmental conditions.

In peat soil samples with completely humification the P concentration in each fraction is higher than in poorly humified peat. For P releases after re-wetting, completely humified horizons are decisive because they have been changed pedogenetically.

Key index words: fens, humification, peat type, re-wetting, sequential extraction

Introduction

Huge areas of fens in north-eastern Germany have been drainaged over several decades. Anaerobic and saturated conditions with peat conservation changed into an aerobic environment with humification and mineralisation of the peat. Structural damages of the peat body have been occurred (Velty *et al.*, 2006; Zeitz and Velty, 2002).

Kyoto Protocol and European Water Framework Directive promote the regeneration of fens. Many degraded fens have been re-wetted.

Re-wetting can be often accompanied by a release of P due to changes in the redox potential of P-adherent chemical elements (Paludan, 1995; Gelbrecht and Koppisch 2001; Gelbrecht *et al.*, 2003). Especially, the reductive dissolution of Fe(III)- and Mn(IV)-oxyhydroxides is likely to be a significant mechanism for P release by re-wetting, because P is strongly bound to these elements.

The sequential extraction of P in peat soil samples provides additional information about the potential mobility of P under different environmental conditions. The determination of P binding forms in peat substrates will help to understand the mechanisms of P release in fens after re-wetting and P release potentials may be estimated prospectively. For these objectives inorganic P binding forms are determined in fens by sequential extraction and related to the DPD.

Materials and Methods

Peat type and degree of peat decomposition

Reed peat, sedge peat, wood peat and mixed peat with different DPD have been chosen as representative peat types in fens of north-eastern Germany. Fens with both aerobic and anaerobic conditions have been selected.

The selection of the DPD was done with the help of a decomposition scheme after von Post (1924; von Post and Granlund, 1926) divided into a ten-class scale. Higher numbers indicate stronger peat decomposition.

Phosphorus fractionation

The sequential extraction method after Psenner *et al.* (1984), originally used for the detection of P binding forms in lake sediments (Jensen and Thamdrup, 1993; Hupfer, 1995; Paludan and Jensen, 1995; Lewandowski, 2002), was applied. This method was adapted to take account to the special properties of peat (Jordan *et al.*, 2007).

The fractionation was carried out on field fresh peat samples with replications as soon as possible after collection, since drying induces oxidation of the peat and leads to irreversible changes in the fractional composition.

Each peat sample (5 g into a 25 ml centrifugation tube) was extracted sequentially into three fractions representing different P binding forms (Table 1).

Fraction	Extraction solvent	P binding form
NH ₄ Cl-TP	1 M NH ₄ Cl	labile, loosely bound or adsorbed P; immediately available
BD-TP	0,1 M NaHCO ₃ -Na ₂ S ₂ O ₄ -Solution	redox-sensitive P, mainly from Fe(III)- and Mn(IV)-oxyhydroxide surfaces
HCI-SRP	0,5 M HCl	P adsorbed to metal oxides (Al-, Fe- and Mn-bound P); apatit-P and P bound in carbonates

Table 1. Fractionation scheme (the three extraction steps with fraction, extraction solvent and P binding form; BD = Bidithionite, SRP = soluble reactive phosphorus, TP = total phosphorus).

P concentration in the extracts and TP were detected photometrically (at $\lambda = 680$ nm) using a modified Molybdenum Blue Method after Murphy & Riley (1962).

Results and Discussion

For profiles with completely saturated horizons (except the upper horizon) in fens a relationship between P binding form concentrations and DPD has been found for labile P (Fig. 1), redox-sensitive P (Fig. 2) and metal oxide bound P (Fig. 3).

In fen profiles with non-saturated or saturated, but former aerobic horizons the relationship between P binding form concentrations and DPD is weak (Fig. 4...6). For one sedge peat profile with three horizons of different DPD the concentration of metal oxide bound P was nearly similar (Fig. 6).

Jordan *et al.* (2007) found in all investigated peat samples highest labile P concentrations in poorly humified peat samples and figured out that with increasing DPD the concentration of labile P decreases. They also presented that the concentrations of redox-sensitive and metal oxide bound P increases with increasing DPD.

In the present study such a relationship between P binding form concentrations and DPD could only be found for a few investigated peat samples. Different environmental conditions (aerobic/anaerobic milieu) influence to a strong extent the relationship between P binding form concentrations and DPD. Thus, these sampling site conditions

2,5 2.0 VH₄CI-P in DM [µg/g] 1.5 1,0 0.5 0.0 2 9 10 3 4 6 8 degree of peat decomposition □ site B o site C

Figure 1. Relationship between labile P (NH4Cl-P) and degree of peat decomposition in peat samples (n = 6) from site B (Moor am Saefkowsee / Müritz-Nationalpark) and C (Hakenberg / Rhinluch). DM = dry matter. have to take into special consideration for the interpretation of the measured values. We suppose that for the peat sampling and the following analytics the seasonality is also an important indicator that should not be neglected. In any case, for a P release after re-wetting a drained peat soil in fens, completely humified horizons have to be taken into account because they have been changed pedogenetically.

For the interpretation of a qualified correlation of the P fractions organic and refractory bound as well as total P and metals will be analysed in a next step. Additionally, peat soil samples taken from a fen at different seasons will be completely fractionated.

Acknowledgements

We thank the Central Laboratory Analytics (Humboldt Universität zu Berlin) for the support of the chemical analyses, Jörg Gelbrecht and Dominik Zak (Central Chemical Laboratory at the Leibniz-Institute for Fresh Water Ecology and Fishery) for interesting discussions. Research is financially supported by the Deutsche Bundesstiftung Umwelt (DBU) within the scholarship programme.

References

Gelbrecht, J. and Koppisch, D. (2001). Phosphor-Umsetzungsprozesse (Chemical reactions of phosphorus). In Succow, M. and Joosten, H. (eds.), Landschaftsökologische Moorkunde (Landscape ecological peat science). *Schweizerbart*, Stuttgart, 24-26.




Figure 2. Relationship between redox-sensitive P (BD-P) and degree of peat decomposition in peat samples (n = 10) from site A (Rohrbruch / Barnim), B (Moor am Saefkowsee / Müritz-Nationalpark) and C (Hakenberg / Rhinluch). DM = dry matter.




Figure 3. Relationship between metal oxide bound P (HCI-SRP) and degree of peat decomposition in peat samples (n = 4) from site A (Rohrbruch / Barnim). DM = dry matter.




Figure 5. Redox-sensitive P (BD-P) and degree of peat decomposition in peat samples (n = 12) from remaining sites. DM = dry matter.

- Gelbrecht, J., Lengsfeld, H. and Zak, D. (2003). Stoffrückhalt und freisetzung in grundwassergespeisten Mooren des nordostdeutschen Tieflandes (Retention and release of substances in minerotrophic peat soils in north-eastern lowland of Germany). In Lung (ed.), Stoffausträge aus wiedervernässten Niedermooren (Discharge of substances from rewetted minerotrophic peat soils), Schriftenreihe des Landesamtes für Umwelt, Naturschutz und Geologie Mecklenburg-Vorpommern, 2/2003, 55-66.
- Hupfer, M. (1995). Bindungsformen und Mobilität des Phosphors in Gewässersedimenten (Phosphorus binding forms and mobility in lake sediments). In Steinberg, C., Bernhardt, H. and Klapper, H. (eds.), Handbuch angewandte Limnologie (Handbook of applied limnology). *Ecomed*, Landsberg am Lech, IV-3.2., 3-22.
- Jensen, H.S. and Thamdrup, B. (1993). Iron-bound phosphorus in marine sediments as measured by bicarbonate-dithionite extraction. *Hydrobiologia* 253, 47-59.
- Jordan, S., Velty, S. and Zeitz, J. (2007). Phosphorus binding forms in fens influenced by degree of peat decomposition. *Mires and Peat*, Vol. 2, article 07, www.mires-and-peat.net/.
- Lewandowski, J. (2002). Untersuchungen zum Einfluß seeinterner Verfahren auf die Phosphor-Diagenese in Sedimenten (Researches on the influence of in-lake measures to the diagenesis of phosphorus in lake sediments). Dissertation, Humboldt-Universität zu Berlin.
- Murphy, J. and Riley, J.P. (1962). A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta* 27, 31-36.
- Paludan, C. (1995). Fosfordynamik i sedimenter fra vådområder (Phosphorus dynamics in wetland sediments). Licentiatafhandling,




Figure 4. Labile P (NH4Cl-P) and degree of peat decomposition in peat samples (n = 16) from remaining sites. DM = dry matter.




Figure 6. Metal oxide bound P (HCI-SRP) and degree of peat decomposition in peat samples (n = 18) from site C (Hakenberg / Rhinluch) and remaining sites. DM = dry matter.

Biologisk Institut, Aarhus Universitet og Afdeling for Ferskvandsøkologi, *Danmarks Miljøundersøgelser*, 106 pp.

- Paludan, C. and Jensen, H.S. (1995). Sequential extraction of phosphorus in freshwater wetland and lake sediments: significance of humic acids. In: Paludan, C. Fosfordynamik i sedimenter fra vådområder. Licentiatafhandling, Biologisk Institut, Aarhus Universitet og Afdeling for Ferskvandsøkologi, *Danmarks Miljøundersøgelser*, 31-46.
- Psenner, R., Pucsko, R. & Sager, M. (1984). Die Fraktionierung organischer und anorganischer Phosphorverbindungen von Sedimenten – Versuch einer Definition ökologisch wichtiger Fraktionen (The fractionation of organic and inorganic phosphorus compounds in lake sediments – an attempt to characterise ecologically important fractions). Archiv für Hydrobiologie, Suppl. 70, 111-155.
- Velty, S., Behrendt, A. and Zeitz, J. (2006). Natural wetland restoration and the use of municipal wastewater. *Journal of Plant Nutrition and Soil Science* 169, 642-650.
- von Post, L. (1924). Das genetische System der organogenen Bildungen Schwedens (The genetic system of the organogenic formations of Sweden). In Comité International de Pédologie, IVème commission (commission pour la nomenclature et la classification des sols, commission pour l'europe, président: B. Frosterus, ed.), Mémoires sur la nomenclature et la classification des sols, Helsingfors/Helsinki, 287-304.
- von Post, L. and Granlund, E. (1926). Södra Sveriges torvtillgångar I (Peat resources in southern Sweden I). SGU, Ser. C: 335 (= årsbok 19 : 2), Stockholm, 127 pp.
- Zeitz, J. and Velty, S. (2002). Soil properties of drained and rewetted fen soils. *Journal of Plant Nutrition and Soil Science* 165, 618-626.